														.	ξť.	
														.	ň	
														.	8	
														.	8	>
		a	. +1	.0			٠.	•			٠	٠	٠.	.	33	pla
		` ; i	`~1		_ი	_∞			_ທ 	_ 4		- -		ا ــ ١	33	dis
	24	1												121	32	<u>e</u>
	23	! !						-							77	티
	1 22 23 2	, 1												121	52	Xa
_	-0	, 1												121	5.20	ej.
	2	!												18	12	단
	13											•		냺	324	in
	8 9 1011 1213 1415 1617 1819 20	' 1				•							.D.O.O.R.	678910112131415161718192021222324	22	Figure 1. Screen positions us window positions within the example display
	17	ì											Ö	15	5	S
	16							٠.					0	ايّار)21	lon
	15							<u>2</u> .					Ö	الثار	32(bit
	14	' '1						sit					٠,٢	噹	3.1	-od
•	ંદ્ર દ) ' !t	•					Ġ.					[.T.	12	7 18	
	.5	! <u>'</u>						Second position					·	ᆲ	51	절
	. =	'n						ပ္လ					$\cdot V \cdot A \cdot U \cdot I$	15	51(. <u>₹</u>
	. 5	١,						ŵ			٠.		*	17	11	US
	. 0	,											?	1	31,	ns
	_α	j.											.2.5.	١	77	ţ.
	. 1	·i											ιn.	1	1 =	SS.
	ુ પ	· •	•.											၂်လ	=	o.
	, u	ì											· C · A · M ·	1	9 1011121314151617181920212223242526272829303132333435	eel
	. 5	ľ									. •		<u>نع</u> نــ	3.4	8	Sci
	٠, ۲	٦							٠		•	•		12	~	:ـ
	٠,٠	1											·	1,	9	5
	. •	٦,		_	_	_	_	_	_	_		-	_	٦, ـ	ł	gn
			17	17.	ဌ.	თ.	Φ.	۲.	Φ.	ഗ.	ላ.	ო.	٥.٠	┛.	1 4	ᇎ
												•	•	•	3 4	ž
										•		•	•	•	1 ~	SRCSfile: bar.tex 5
										•	•		•	•	1 2	ຽ
L							_								J -	




Figure 2: "First" window position within the display as used in Burned Screen Reduction (BSR) mode




Figure 3: "Second" window position within the display as used in Burned Screen Reduction (BSR) mode




Figure 4: "Third" window position within the display as used in Burned Screen Reduction (BSR) mode




Figure 5: "Fourth" window position within the display as used in Burned Screen Reduction (BSR) mode